

Department of Pathology

Fax: 2226826

Lab No.: C 294/03

Date: 7 August 2003

#### REPORT

(This report is not to be used for advertising purposes)

on	Disinfectant Spray		
1	sample received from	Magna International Pte Ltd	

on 30 July 20 03 .

## SAMPLE LABEL

One disinfectant sample in a spray bottle, capped, sealed and bearing the following commercial label,

" Magna-Legionella-X, 500ml Wonder-Kleen Antibacterial Waterless Stain Remover for Sofas and Fabrics Magna-G12, Canada"

### **TEST METHOD**

Modified Kelsey Sykes Capacity Test Option for <u>Hospital Grade Disinfectant</u> under <u>dirty</u> conditions. <u>Four</u> test organisms, *Escherichia coli* NCTC 8196, *Proteus vulgaris* NCTC 4635, *Pseudomonas aeruginosa* NCTC 6749 and *Staphylococcus aureus* NCTC 4163 were used. The inoculum size of each of the test organisms was not less than 2 X 10<sup>8</sup> or more than 2 X 10<sup>9</sup> organisms introduced into the individual test samples of the disinfectant solution. The disinfectant sample was tested neat.

The method is essentially that given by Kelsey & Maurer (Kelsey, J.C and Maurer Isobel, M. Pharmaceutical Journal (UK) 213: 528-230, (1974)). The disinfectant is tested at the use-concentration recommended by the manufacturer. The test consists of challenging the disinfectant with bacterial inoculum, withdrawing a sample after a given time (8 minutes) and culturing the sample in a suitable recovery culture medium. After this sampling, the mixture is again challenged by a <a href="mailto:second">second</a> inoculum and after a second interval (18 minutes) is again sampled for culturing. The sample is passed or failed according to the extent of growth shown in the two cultures sampled.

Dr Charles Tang

Sr. Principal Scientific Officer

Pharmaceutical Microbiology Laboratory

Department of Pathology

Page 1 of 2





# Singapore General Hospital

A Tradition of Caring & Excellence

Department of Pathology

Fax: 2226826

Lab No.: C 294/03

REPORT

**TEST RESULT** 

SAMPLE: "Magna-Legionella-X, Wonder-Kleen, Antibacterial Waterless Stain Remover for

Sofas and Fabrics "

**TEST OPTION: Hospital Grade Disinfectant** 

**TEST CONCENTRATION: Neat** 

ESCHERICHIA COLI NCTC 8196

		SAMPLING/EXPOSURE TIME		
INCUBATION	POSITIVE/NEGATIVE	8 MINS	18 MINS	REMARK
TIME	CONTROLS			
24 HRS	++/			
48 HRS	++/			Pass

### **PROTEUS VULGARIS NCTC 4635**

		SAMPLING/EXPOSURE TIME		
INCUBATION	ATION POSITIVE/NEGATIVE	8 MINS	18 MINS	REMARK
TIME	CONTROLS			
24 HRS	+ + /			
48 HRS	++/			Pass

### PSEUDOMONAS AERUGINOSA NCTC 6749

		SAMPLING/EXPOSURE TIME		
INCUBATION	POSITIVE/NEGATIVE	8MINS	18 MINS	REMARK
TIME	CONTROLS			
24 HRS	++/			
48 HRS	+ + /			Pass

### STAPHYLOCOCCUS AUREUS NCTC 4163

		SAMPLING/EXPOSURE TIME		
INCUBATION TIME	POSITIVE/NEGATIVE CONTROLS	8 MINS	18 MINS	REMARK
24 HRS	+-/			
48 HRS	+ + /			Pass

Note:

Growth in one tube of recovery broth No growth in one tube of recovery broth

Dr charles Tang

Sr. Principal Scientific Officer

Pharmaceutical Microbiology Laboratory

Department of Pathology

Page 2 of 2

